



Applications


Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

Water Saving


Dual flush operation for full and water saving reduced flush.

Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Chrome plated finish
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



Dimensional Data



Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	326393



Applications


Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

Water Saving


Dual flush operation for full and water saving reduced flush.

Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ White - White
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



Dimensional Data



Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	334699



Applications


Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

Water Saving


Dual flush operation for full and water saving reduced flush.

Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Silver - Silver
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



Dimensional Data



Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	334698



Applications

Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

Water Saving


Dual flush operation for full and water saving reduced flush.

Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Brushed Nickel
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



Dimensional Data



Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	373567



Applications

Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

Water Saving


Dual flush operation for full and water saving reduced flush.

Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Matt Black - Matt Black
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



Dimensional Data



Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	334197



Applications


Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

Water Saving


Dual flush operation for full and water saving reduced flush.

Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Soft Touch Grey
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



Dimensional Data



Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	373555



Applications

Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

Water Saving


Dual flush operation for full and water saving reduced flush.

Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Brushed Brass
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



Dimensional Data



Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	373567