


## Wall hung Doc M toilet pack with stainless steel concealed fixing grab rails



### Product details

|                                |                         |
|--------------------------------|-------------------------|
| <b>Warranty:</b>               | See individual products |
| <b>Max rated load:</b>         | See individual products |
| <b>Doc M compliant:</b>        | Yes                     |
| <b>Suitable for wet areas:</b> | Yes                     |

### Features

- Complies with Part M of the Building Regulations
- WRAS approved inlet valve and syphon
- Concealed fixing stainless steel grab rails
- Universal - suitable for left or right handed transfer
- Simple one box solution

### Finish options



Satin  
Stainless Steel



Polished  
Stainless Steel



Dark blue  
RAL 5011



Dark grey  
RAL 7016



Grey  
RAL 7005



White  
RAL 9016

### Product description

Wall hung Doc M toilet pack, stainless steel, concealed fixings, TMV3 valve

Wall hung Doc M toilet pack, stainless steel, concealed fixings, TMV3 tap

### Product code

NY02-DM-41200-\*\*

NY02-DM-41300-\*\*

Replace \*\* with finish option code above e.g., NY02-DM-41300-DB


### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

## Pack contents

- 4 x 600mm stainless steel grab rails with concealed fixings
- 1 x 450mm stainless steel grab rail with concealed fixings
- 1 x 800mm stainless steel hinged support rail
- 1 x 220mm stainless steel back rest rail and pad with concealed fixing
- 1 x Wall hung box rim Doc M pan
- 1 x Floor mounting frame for wall hung pan
- 1 x Concealed cistern with fittings, flush pipe, and Doc M concealed cistern spatula lever
- 1 x Ring only toilet seat
- 1 x Two tap hole basin
- 1 x Sequential basin mixer tap (optional thermostatic mixer tap - NY02-DM-41300 only)
- 1 x Tap hole stopper
- 1 x Basin waste
- 1x TMV3 Valve (NY02-DM-41200 only)

## Dimensions (mm)



## Stainless steel grab rail with concealed fixings, 35mm diameter tube



### Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 5 years |
| Max rated load:         | 185 kg  |
| Doc M compliant:        | Yes     |
| Suitable for wet areas: | Yes     |

### Features

- Non-corrosive stainless steel construction
- Durable powder coated finish
- Concealed fixing
- Non-standard colour options available

### Finish options



White  
RAL 9016



Dark blue  
RAL 5011



Dark grey  
RAL 7016



Grey  
RAL 7005

### Product description

|                                                                     |
|---------------------------------------------------------------------|
| Grab rail, stainless steel, concealed fixings, 35mm diameter, 300mm |
| Grab rail, stainless steel, concealed fixings, 35mm diameter, 450mm |
| Grab rail, stainless steel, concealed fixings, 35mm diameter, 600mm |
| Grab rail, stainless steel, concealed fixings, 35mm diameter, 900mm |

### Product code


|           |
|-----------|
| 210130/** |
| 210145/** |
| 210160/** |
| 210190/** |

Replace \*\* with finish option code above e.g., 210160/DB

### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



| PRODUCT CODE | 210130/** | 210145/** | 210160/** | 210190/** |
|--------------|-----------|-----------|-----------|-----------|
| DIM 'A'      | 300       | 450       | 600       | 900       |

## Stainless steel lift and lock hinged support rail



### Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 5 years |
| Max rated load:         | 135 kg  |
| Doc M compliant:        | Yes     |
| Suitable for wet areas: | Yes     |

### Features

- Complies with Part M of the Building Regulations
- Lift and lock folding mechanism
- Non-corrosive stainless steel construction
- Toilet roll holder (optional)

### Finish options



White  
RAL 9016



Dark blue  
RAL 5011



Dark grey  
RAL 7016



Grey  
RAL 7005



Satin  
Stainless Steel



Polished  
Stainless Steel

### Product description

Hinged lift and lock support rail, stainless steel, 650mm  
Hinged lift and lock support rail, stainless steel, 800mm,

### Product code


211865/\*\*  
211880/\*\*

Replace \*\* with finish option code above e.g., 211880/DB

### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



|              |           |           |
|--------------|-----------|-----------|
| PRODUCT CODE | 211865/** | 211880/** |
| DIM 'A'      | 650       | 800       |

## Stainless steel back rest rail with concealed fixings and white pad



### Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 5 years |
| Max rated load:         | n/a     |
| Doc M compliant:        | Yes     |
| Suitable for wet areas: | Yes     |

### Features

- Complies with Part M of the Building Regulations
- Non-corrosive stainless steel construction
- Durable wipe clean polyurethane pad
- Closed cell polyurethane construction for maximum hygiene and comfort
- Saddle clips for fixing pad to rail

### Finish options



**White**  
RAL 9016



**Dark blue**  
RAL 5011



**Dark grey**  
RAL 7016



**Grey**  
RAL 7005



**Satin**  
Stainless Steel



**Polished**  
Stainless Steel

### Product description

Back rest rail with white pad, stainless steel, 220mm projection, concealed fixings

Back rest rail with white pad, stainless steel, 270mm projection, concealed fixings

### Product code

BR-220SC/\*\*



BR-270SC/\*\*

Replace \*\* with finish option code above e.g., BR-220SC/DB

### Disclaimer


NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



| PRODUCT CODE | BR-220SC/** | BR-270SC/** |
|--------------|-------------|-------------|
| DIM 'A'      | 220         | 270         |

Wall hung Doc M pan



Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 5 years |
| Max rated load:         | n/a     |
| Doc M compliant:        | Yes     |
| Suitable for wet areas: | Yes     |

Features

- Extended projection to aid compliance with Part M of the Building Regulations
- UKCA and CE compliant
- Contemporary feel

For 750mm projection, wall should be built out by 50mm

Finish options



White  
RAL 9016

Product description

Product code




Wall hung Doc M pan, 700mm projection, no fixings, white

PANWH70

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

## Dimensions (mm)



Toilet seat, ring only, stainless steel pillar hinge



Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 2 years |
| Max rated load:         | 150 kg  |
| Doc M compliant:        | Yes     |
| Suitable for wet areas: | Yes     |

Features

- Complies with Part M of the Building Regulations
- Anti-bacterial, strong and durable Duroplast seat
- Ergonomic and comfortable shape
- Stainless steel hinge
- Adjustable locating buffers
- Fits close coupled, low level, back to wall and wall hung pans

Finish options

WH

White  
RAL 9016

DB

Dark blue  
RAL 5011

DG

Dark grey  
RAL 7016

GY

Grey  
RAL 7005

Product description


Product code

|                                                                            |           |
|----------------------------------------------------------------------------|-----------|
| Toilet seat, ring only, stainless steel pillar hinge, dark blue (RAL 5011) | 260015/DB |
| Toilet seat, ring only, stainless steel pillar hinge, dark grey (RAL 7016) | 260015/DG |
| Toilet seat, ring only, stainless steel pillar hinge, grey (RAL 7005)      | 260015/GY |
| Toilet seat, ring only, stainless steel pillar hinge, white (RAL 9016)     | 260015/WH |

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



Concealed cistern and fittings



Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 2 years |
| Max rated load:         | N/A     |
| Doc M compliant:        | N/A     |
| Suitable for wet areas: | Yes     |

Features

- WRAS approved syphon
- WRAS approved inlet valve
- Top access
- 6 litre flush
- Internal / external overflow warning
- High density polystyrene construction

Does not come with flush lever or flush pipe

Product description

Concealed cistern and fittings, no lever or flush pipe



Product code

B-CISTHIDE

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



Concealed cistern spatula lever



Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 2 years |
| Max rated load:         | n/a     |
| Doc M compliant:        | Yes     |
| Suitable for wet areas: | Yes     |

Features

- Complies with Part M of the Building Regulations
- Easy operation for users with limited dexterity
- For use with concealed cisterns

Finish options



Polished  
chrome

Product description

Concealed cistern spatula lever, 215mm spindle, polished chrome


Product code

P-000243-X00X

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



Low frame unit for wall hung pan



Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 5 years |
| Max rated load:         | 350 kg  |
| Doc M compliant:        | Yes     |
| Suitable for wet areas: | Yes     |

Features

- Come with flush pipe and WC pan connector clamps
- Adjustable legs for WC pan height fixing flexibility
- Wall and floor fixing brackets can be fixed through 180 degrees and 360 degrees to simplify installation
- Strong steel tubular section

Finish options



Grey  
RAL 7005

Product description

Low frame unit for wall hung pan



Product code

B-WALLHUNGFRAME

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



Plastic flush pipe



Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 2 years |
| Max rated load:         | n/a     |
| Doc M compliant:        | Yes     |
| Suitable for wet areas: | Yes     |

Features

- Manufactured with a 38mm outside diameter
- One-piece 90° swept bend
- High quality PVC construction

Finish options



White  
RAL 9016

Product description

Product code


Flush pipe, 610mm x 610mm x 38mm, white

CP-OMI-1245

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



Standard Doc M Basin



Product details

|                         |          |
|-------------------------|----------|
| Warranty:               | Lifetime |
| Max rated load:         | n/a      |
| Doc M compliant:        | Yes      |
| Suitable for wet areas: | Yes      |

Features

- Two tap holes or central tap hole options available
- Compact design to maximise space for a wheelchair user
- Complies with Part M of the Building Regulations (two tap hole only)
- Wall fixings included
- No overflow

Finish options



White  
RAL 9016

Product description

Product code


Standard Doc M basin, two tap holes, no overflow, white  
Standard Doc M basin, central tap hole, no overflow, white

B-BWBASIN-SAN  
B-BASI1TH-SAN

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

## Dimensions (mm)



FOR TAP HOLE POSITION DIMENSIONS SEE PRODUCT SPECIFIC MARKETING DRAWING

Polished chrome sequential basin mixer tap



Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 2 years |
| Max rated load:         | n/a     |
| Doc M compliant:        | Yes     |
| Suitable for wet areas: | Yes     |

Features

- WRAS approved
- Easy operation for users with limited dexterity
- Cold start

Finish options



Polished  
chrome

Product description

Sequential basin mixer tap, polished chrome



Product code

BPLMON

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



Chrome plated hole stopper



Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 2 years |
| Max rated load:         | n/a     |
| Doc M compliant:        | n/a     |
| Suitable for wet areas: | Yes     |

Features

- Supplied with Locknut
- To suit 13mm (1/2") Hole
- Easy to fit

Finish options



Polished  
chrome

Product description

Chrome plated hole stopper


Product code

P-000239-X00X

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

## Dimensions (mm)



Basin waste with stainless steel grid, no plug



Product details

|                         |        |
|-------------------------|--------|
| Warranty:               | 2years |
| Max rated load:         | n/a    |
| Doc M compliant:        | n/a    |
| Suitable for wet areas: | Yes    |

Features

- Quick and simple installation
- Manufactured from high quality materials
- Stainless steel grid
- Plastic Body

Finish options

Not applicable

Product description

Basin waste with stainless steel grid, no plug



Product code

P-000241-X00X

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



TMV3 inline thermostatic mixing valve



Product details

|                         |         |
|-------------------------|---------|
| Warranty:               | 2 years |
| Max rated load:         | n/a     |
| Doc M compliant:        | Yes     |
| Suitable for wet areas: | Yes     |

Features

- TMV3 approved
- WRAS approved
- Complies with Part M of the Building Regulations
- Building Regulations Part G compliant
- Highly resistant to scaling
- Anti-tamper proof head

Finish options



Polished  
chrome

Product description

TMV3 inline thermostatic mixing valve - 15mm


Product code

BPLTMV

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



TMV3 thermostatic mixer tap



Product details

|                         |                 |
|-------------------------|-----------------|
| Warranty:               | 5 years         |
| Max rated load:         | n/a             |
| Doc M compliant:        | Yes             |
| Suitable for wet areas: | Yes             |
| Max Inlet Temp:         | 85°C            |
| Factory Set Temp:       | 43°C            |
| Max Operating Pressure: | 10 BAR Static   |
| Min Inlet Pressure:     | 0.2 BAR Dynamic |

Features

- TMV3 & WRAS approved
- Safe touch body
- Copper inlet tails
- Self-draining spout
- Complies with Part M of the Building Regulations
- Easy operation for users with limited dexterity

Finish options



Polished  
chrome

Product description

TMV3 thermostatic mixer tap, polished chrome


Product code

TAPTMV/CP

Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



FLOW RATE FOR TAPTMV

