


KWC F5S-Mix

Self-closing in-wall mixer

Modell-Linie: F5S | F5SM2005 | 2030036693 | EAN/GTIN: 7612982239687

Showers | Self closing showers



Article Number

2030029012

2030036693

with automatic shower pipe draining

shower pipe draining

false

true

F5S-Mix self-closing single-mixer DN 15 as finished installation kit for installation in basic installation kit, for shower facilities. FRAMIC self-closing mixing cartridge, hydraulically controlled, low-maintenance and stagnation-free, with ceramic disc technology, self-closing, flow pressure-independent due to medium-separated design. Stepless adjustment of flow duration. With adjustable, turn-proof temperature stop. Connects to hot and

cold water. All-metal construction, visible parts high-polished, chromium-plated. Holding frame including profile seal, stainless steel cover plate 190 x 245 mm with covered screw fixing, chromium-plated plastic rosettes, backflow preventer and strainers. Depth adjustability 25 mm. Version with automatic shower pipe draining.

Technical Data

additional connections

with backflow preventer

Built-in fitting model

calculation flow rate cold wat

calculation flow rate hot wate

circulation

compatible A3000 open

connection with pay water disp

Cover plate height

Cover plate width

with filter

adjustable flow time

functional principle

for hand shower

hygiene flushing

diameter nominal

inlet size

Locking mechanism

material casing

material fitting

maximum flow time

false

true

Finishing section

0.15 l/s

0.15 l/s

false

false

not possible

245 mm

190 mm

true

true

hydraulic self-closing

false

false

DN 15

G 3/4 B

Top section, ceramic

stainless steel

brass-look

35 Seconds



KWC F5S-Mix

Self-closing in-wall mixer

Modell-Linie: F5S | F5SM2005 | 2030036693 | EAN/GTIN: 7612982239687
Showers | Self closing showers

minimum flow pressure	0.5 bar
minimum flow time	5 Seconds
type of mixing	true
with rosettes/cover plate	true
protective shutdown	false
shower pipe draining	true
sound insulation	false
surface finish casing	satin finished
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	true
thermal disinfection	false
type of mounting	in-wall installation with box
type of operation	manual operation
type of shower	in-wall fitting
volume flow rate at 3 bar	0.2 l/s
water connection	threaded connection (external)
position of water connection	from side
Accent colour	chrome-look (glossy)
Basic colour	stainless steel-look

Mandatory Accessories



Waterproof housing

2030028990
F5BX2001


Optional Accessories

KWC

F5S-Mix

Self-closing in-wall mixer

Modell-Linie: F5S | F5SM2005 | 2030036693 | EAN/GTIN: 7612982239687
Showers | Self closing showers



Extension set for F5S

2030044781
ACSM2001

Spare Parts



Plug chromed

2030053006
ASSX9004



Handle push cap

2030050753
ASSM9004



Guide ring

2030048356
ASSX9002




Temperature stop

2030046188
ASSM1002



Safety ring

2030048357
ASSX9003




Rosette

2030045510
ASXM2003



FRAMIC self-closing mixing cartridge

2030046185
ASSM9001



Holding frame

2030045472
ASXX9004


KWC

F5S-Mix

Self-closing in-wall mixer

Modell-Linie: F5S | F5SM2005 | 2030036693 | EAN/GTIN: 7612982239687

Showers | Self closing showers



Cover plate stainless steel

2030045477

ASXM2002



Stainless steel care set

2000109019

ZWSPL0024



Cleaning product CHROMOL

2000105091

ZWSPL0023