


G22018LT | 2000100404

ARTICLE GROUP : **G22018 ++** | ARTICLE FAMILY : **Slop hopper** | PRODUCT GROUP : **Hospital equipment**



A DUHS hospital disposal unit manufactured from 1.2mm thick, grade 1.4301 (304) stainless steel with a satin polish finish. The top is turned down on all four edges and incorporates a wet area recess. Fitted with a sluice hopper at one end, the hopper has a 110mm dia. outlet which can accept a P or S trap, available as an extra. A wash up bowl is positioned next to the sluice hopper and is prepared for a 38 mm waste outlet. The wash up bowl does not have an overflow, flush grated wastes are available as an extra, also available are 9 litre capacity plastic cisterns with plastic downpipe, these are fitted with a 13mm HP brass valve, plastic float and CP metal flushing lever handles. The unit should only be fed from a cistern or tank water supply. L or R after the code number refers to the handing of the drainer ie. left or right when facing front of unit. Unit can be mounted on either stainless steel cantilever brackets or Front leg supports give a working height of 900mm and have adjustable feet which can be screwed to the floor for extra stability.

HTM 64 STANDARD

Left hand drainer, 2 tapholes at 200mm centres


TECHNICAL DATA

Bowl - Height	200.00 mm
bowl finish	SATIN-FINISHED
bowl - depth	400.00 mm
bowl - width	500.00 mm
drainer position	LEFT
drainer or storage	DRAINER
gross weight	18.10 kg
material	STAINLESS-STEEL
material code	1.4301 Chrome Nickel steel V2A
material thickness	1.20 mm
minimum flushing capacity	6.00 liter
net weight	16.90 kg
outlet size	DN 100
overall depth	600.00 mm
overall height	300.00 mm
overall width	1,600.00 mm
overflow	no
surface finish	satin finished
tap ledge	yes
type of mounting	wall and floor mounting
waste hole position	centre back
waste hole projection	225.00 mm
waste size	DN 32

G22018LT | 2000100404


ARTICLE GROUP : **G22018 ++** | ARTICLE FAMILY : **Slop hopper** | PRODUCT GROUP : **Hospital equipment**

ACCESSORY



TAP

2000100426



TAP

2000100427
