


Specification Sheet

Part No.	Description	Last Updated
T100	Gravity Hinge—Stainless Steel (12-13 mm)	28/01/2012




The T100 gravity hinge is made from stainless steel and tough plastic and has a satin or polished finish. It is suitable for door thicknesses of 12-13 mm.

It has a mechanism which allows it to automatically shut or open a door, depending of its configuration. It can be adjusted on site to hold open or closed.

It comes with 12 no 10 mm x 10 Undercut Csk Wood Screws.

Specification Sheet

Part No.	Description	Last Updated
T100	Gravity Hinge—Stainless Steel (19-21 mm)	28/01/2012




The T100 gravity hinge is made from stainless steel and tough plastic and has a satin or polished finish. It is suitable for door thicknesses of 19-21 mm.

It has a mechanism which allows it to automatically shut or open a door, depending of its configuration. It can be adjusted on site to hold open or closed.

It comes with 12no 18mm x 10 Undercut Csk Wood Screws.

Specification Sheet

Part No.	Description	Last Updated
T100	Gravity Hinge—Stainless Steel (Orientation)	28/01/2012



Hinges	Right Hand	Left Hand	Right Hand	Left Hand
--------	------------	-----------	------------	-----------

The above diagram shows whether the hinge would need to be for a left or right opening door, depending on the configuration of your cubicle.